Vidadecor ®

EXTERIOR LIGHTING

EION LIGHTING COMPANY LIMITED

2021

PRODUCT CATALOG

Competitive solar wall light

CE ROHS

Vidadecor ®

EION LIGHTING COMPANY LIMITED

Address: No.46,Puling Ave,DaYan Industrial Zone,Huangpu,Zhongshan

Tel:0757-29293825 Zip code: 528400

Email: sales01@golden-lights.com

GD-S01-250

- Solar Ball Pillar Light
- Power:1.7W
- Battery:2000mAh
- Solar panel:6V
- LED: SMD2835*24pcs
- Sensor: Light-control/ remote-control
- Material:acrylic+ABS

Warm Light Neutral Light White Light

RGB Light (The light can change different color with different modes)



Nano high-brightness LED lamp bead

Transparent wide angle irradiation

Radar sensor

High efficiency solar panel

Waterproof IP65

128 PCS LED Chips

High temperature resistant

GD-T17

- **Solar Ocean Heart Wall Light**

LED Nos：0.2W*90PCS
Battery：1200MAH
Solar Panel：5.5v 0.65w
Lumens: 120LM
Waterproof：IP 44
Sensor Method： PIR Sensor
Charging Time：6-8 hour by bright sunlight
Working Hours：Sensor 120 times
Housing Material ： ABS +polycrystalline solar panels
Working Temperature： -25℃ to 65℃
Product Size： 143*53*101mm
Carton Size：75*30*44cm
Pcs/Color Box：1 Pcs/Color Box
Pcs/Ctn： 100PCS/CTN
Package: inner color box+neutral outer carton
N.W/Ctn：20.03 KGS
G.W/Ctn： 23 KGS
Guarantee: 1 year

GD-T18

- **Four Side Solar Sensor Wall light**

LED Nos：128pcs
Battery：1200mAh
Solar Panel：5.5v/0.65w
Lumens:147lm
CCT: 6500K
Waterproof：IP 65
Sensor Method：PIR sensor
Charging Time：8-10 hours by bright sunlight
Working Hours：Induction 150 times
Housing Material ： ABS +PC+polycrystalline solar panels
Working Temperature： -25℃ to 65℃
Product Size：115*112*48mm
Pcs/Color Box：1 Pcs/Color Box
Pcs/Ctn：100pcs/ctn
Box Size：115*120*50mm
Carton Size：59.5*50*27cm
Package: inner color box+neutral outer carton
N.W/Ctn：16.5kgs
G.W/Ctn：21.3kgs
Guarantee: 1 year

High Light COB

33 PCS LED Chips

Waterproof IP65

Waterproof IP65

128 PCS LED Chips

High temperature resistant

GD-T19

- **Solar Sensor Small Wall light**

LED Nos：33pcs
Battery：1200mAh
Solar Panel：5.5v/0.55w
Lumens:146 lm
CCT: 6500K
Waterproof：IP 65
Sensor Method：PIR sensor
Charging Time：8-10 hours by bright sunlight
Working Hours：Induction 150 times
Housing Material ：ABS +PC+polycrystalline solar panels
Working Temperature：-25℃ to 65℃
Product Size：119*101*54mm
Pcs/Color Box：1 Pcs/Color Box
Pcs/Ctn：100pcs/ctn
Box Size：125*60*105mm
Carton Size：55.5*52*32cm
Package: inner color box+neutral outer carton
N.W/Ctn：16kgs
G.W/Ctn：21.3kgs
Guarantee: 1 year

GD-T20

- **Lens Solar Sensor Wall light**

LED Nos：73pcs
Battery：2400mAh
Solar Panel：5.5v/ 1.3w
Lumens: 260 lm
CCT: 6500K
Waterproof：IP 65
Sensor Method：PIR sensor
Charging Time：8-10 hours by bright sunlight
Working Hours：Induction 150 times
Housing Material ：ABS +PC+polycrystalline solar panels
Working Temperature：-25℃ to 65℃
Product Size：188*114*62.5mm
Pcs/Color Box：1 Pcs/Color Box
Pcs/Ctn：50pcs/ctn
Box Size：193*66*120mm
Carton Size：62.5*40.6**35cm
Package: inner color box+neutral outer carton
N.W/Ctn：17.25kgs
G.W/Ctn：20.4kgs
Guarantee: 1 year

High Light COB

40 PCS LED Chips

Waterproof IP65

Solar LED Ground Light

Highly heatstroke-proof

IP66,can be use in swimming pool

GD-DZ-001C/G

Sensor Solar Wall Light (CDR/PIR)

LED Nos：2835*40pcs*0.2w
Battery：3.7v 1200mah
Solar Panel：5.5V/0.8W
Lumens: 158lm
Waterproof：IP 65
Sensor Method： PIR sensor
Charging Time：6-8 hour by bright sunlight
Working Hours：8-10hour
Housing Material ： ABS +polycrystalline solar panels
Working Temperature： -25℃ to 65℃
Product Size：13*13*5.5CM
Carton Size： 69.5*42.5*25cm
Pcs/Color Box：1 Pcs/Color Box
Pcs/Ctn：60pcs/ctn
Package: inner color box+neutral outer carton
N.W/Ctn： 11.5kg
G.W/Ctn： 15.8kg
Guarantee: 1 year

GD-D01

Solar LED Ground Light

LED Nos：20PCS
Battery：500MAH
Solar Panel：5.5V/1W
Lumens: 5 LM
Waterproof：IP 66
Sensor Method： Optically controlled
Charging Time：6-8 hour by bright sunlight
Working Hours：8 hours
Housing Material ： ABS +PC+polycrystalline solar panels
Working Temperature： -25℃ to 65℃
Product Size：121.4*121.4*24.5mm
Pcs/Color Box：4 Pcs/Color Box
Color box size: 130*130*145mm
Pcs/Ctn：72pcs/ctn (18 boxes/Ctn)
Carton Size：45.5*28*41cm
Package: inner color box+neutral outer carton
N.W/Ctn：13kgs
G.W/Ctn：13.9kgs

High Light COB

Radar Sensor

IP65 Switch

Waterproof IP65

32 PCS LED Chips

Dimond fashional shape

GD-T12G-COB96D

Sensor Solar Mini Street Light 10W

LED Nos：96pcs/10W
Battery：2400mAh
Solar Panel：5.5v/1.3w
Lumens:186lm
CCT: 6500K
Waterproof：IP 65
Sensor Method：PIR sensor
Charging Time：8-10 hours by bright sunlight
Working Hours：6-8 hours
Housing Material ： ABS +polycrystalline solar panels
Working Temperature： -25℃ to 65℃
Product Size：278*68*105mm
Carton Size：71*44*30cm
Pcs/Color Box：1 Pcs/Color Box
Pcs/Ctn：40pcs/ctn
Package: inner color box+neutral outer carton
N.W/Ctn：11.56kgs
G.W/Ctn：14.65kgs
Guarantee: 1 year

GD-T11G-32D

Dimond Series Solar Wall Light

LED Nos：2835*32pcs*0.2
Battery：3.7V 1200mAh
Solar Panel：5.5V 0.55W
Lumens: 298 lm
CCT: 6500K
Waterproof：IP 65
Sensor Method：PIR Sensor
Charging Time：6-8 hour by bright sunlight
Working Hours：8-10hours
Housing Material ： ABS +polycrystalline solar panels
Working Temperature： -25℃ to 65℃
Product size: 145*60*168mm
Carton Size：61*34*53cm
Pcs/Color Box：1 Pcs/Color Box
Pcs/Ctn：60 Pcs/Ctn
Package: inner color box+neutral outer carton
N.W/Ctn：12KGS
G.W/Ctn：16.18KGS
Guarantee：1 Year

Waterproof IP65

40 PCS LED Chips

Can operate even in bad weather

Waterproof IP65

40 PCS LED Chips

Can operate even in bad weather

GD-T9/3D-COB96D

- **P60 Ics Super High Lumen COB PIR Solar Sensor Wall light(Shrink Pacckage, Chain Market First Option)**

LED Nos：2835*96 pcs*0.2w
Battery： 3.7V 2400mAh
Lumens: 154.5lm
CCT: 6500K
Solar Panel：9V 1.3W
Waterproof：IP 65
Sensor Method：PIR Sensor
Charging Time：6-8 hour by bright sunlight
Working Hours：8-10hours
Housing Material ： ABS
Working Temperature： -25℃ to 65℃
Product Size： 195*46*119mm
Carton Size：62*21.5*48cm
Pcs/Shin packing：1 Pcs/Color Box
Pcs/Ctn：50 Pcs/Ctn
N.W/Ctn：14KGS
G.W/Ctn: 15.7KGS
Guarantee：1 Year

GD-T9/3D-40D

- **PIR Solar Sensor Big Wall Light**

LED Nos：2835*40 pcs*0.2w
Battery：3.7V 1500/2400mAh
Solar Panel：9V 1.3W
Lumens: 113.13lm
CCT: 6500K
Waterproof：IP 65
Sensor Method：PIR Sensor
Charging Time：6-8 hour by bright sunlight
Working Hours：8-10hours
Housing Material ： ABS +polycrystalline solar panels
Lumens: 106.78lm
Working Temperature： -25℃ to 65℃
Product Size： 195*46*119mm
Carton Size：62*21.5*48cm
Pcs/Color Box：1 Pcs/Color Box
Pcs/Ctn：50 Pcs/Ctn
Package: inner color box+neutral outer carton
N.W/Ctn：14.5KGS
G.W/Ctn: 16.92KGS
Guarantee：1 Year

Built-in PIR Motion Sensor

Auto off at dawn or in bright area

Auto on at dusk or in darkness

Built-in rechargeable 1800mAh lithium battery, it needs 8 hours full sun exposure and will supply up to 4 days if the light will bright 50 times each night.

Waterproof IP65

48 PCS LED Chips

High Conversion Solar Panels



Waterproof IP65

20 PCS LED Chips

High Conversion Solar Panels

You can choose White or Black Color:

GD-T8/3D-COB48D

- **30 Ics Super High Lumen COB PIR Solar Sensor Walllight (Shrink Pacckage, Chain Market First Option)**

LED Nos：2835*48 pcs*0.2w
Battery： 3.7V 1200mAh
Solar Panel：5.5V 0.55W
CCT: 6500K
Waterproof：IP 65
Sensor Method：PIR Sensor
Charging Time：6-8 hour by bright sunlight
Working Hours：8-10hours
Housing Material ： ABS
Lumens:200.46lm
Working Temperature： -25℃ to 65℃
Product Size： 96*124*48mm
Carton Size：51*27*52cm
Pcs/Shin packing：1 Pcs/Color Box
Pcs/Ctn：100 Pcs/Ctn
N.W/Ctn：10KGS
G.W/Ctn：15.29KGS
Guarantee：1 Year

GD-T8C(G)-20D

- **Solar Sensor Wall Light (CDR/PIR Sensor)**

LED Nos：2835*20 pcs*2W
Battery：3.7V 1200mAh
Solar Panel：5.5V 0.55W
Lumens: 79lm
CCT: 6500K
Waterproof：IP 65
Sensor Method：Light Sensor
Charging Time：6-8 hour by bright sunlight
Working Hours：8-10hours
Housing Material ： PP/ ABS +polycrystalline solar panels
Working Temperature： -25℃ to 65℃
Product Size：96*124*48mm
Carton Size：51*27*52cm
Pcs/Color Box：1 Pcs/Color Box
Pcs/Ctn：100 Pcs/Ctn
Package: inner color box+neutral outer carton
N.W/Ctn：10KGS
G.W/Ctn：15.29KGS

High Light COB

22 PCS LED Chips

Waterproof IP65



High Light COB

22 PCS LED Chips

Waterproof IP65

GD-PB/GR-36D

Maval Series Solar Wall Light

LED Nos：2835*36 pcs*0.2w
Battery：3.7V 1800mAh
Solar Panel：6V 2.5W
Lumens: 326.46lm
CCT: 6500K
Waterproof：IP 65
Sensor Method：PIR Sensor
Charging Time：6-8 hour by bright sunlight
Working Hours：8-10hours
Housing Material ： ABS +polycrystalline solar panels
Working Temperature： -25℃ to 65℃
Product Size：180*30*110mm
Carton Size：59.5*19.5*41cm
Pcs/Color Box：1 Pcs/Color Box
Pcs/Ctn：50 Pcs/Ctn
Package: inner color box+neutral outer carton
N.W/Ctn：12.5KGS
G.W/Ctn:15.3KGS
Guarantee：1 Year

GD-T10G-22D

Maval Series Solar Wall Light

LED Nos：2835*22pcs*0.2w
Battery：3.7V 1200mAh
Solar Panel：5.5V 0.55W
Lumens: 191.73 lm
CCT: 6500K
Waterproof：IP 65
Sensor Method：PIR Sensor
Charging Time：6-8 hour by bright sunlight
Working Hours：8-10hours
Housing Material ： ABS +polycrystalline solar panels
Working Temperature： -25℃ to 65℃
Product Size： 96*124*48mm
Carton Size：52*33*54cm
Pcs/Color Box：1 Pcs/Color Box
Pcs/Ctn：100 Pcs/Ctn
Package: inner color box+neutral outer carton
N.W/Ctn：14.5KGS
G.W/Ctn：19.17KGS
Guarantee：1 Year

RGB Changing Mode

Easy to Install



Small Size of the Light



Unique and Best Seller



3 LEDS



GD-LB01

Solar Fence Light

LED Nos：1 pcs WW+1 pcs RGB
Battery：AA 600mAh NI-CD Battery
Solar Panel：83*43
Lumens：10 LM
Waterproof：IP 66
Charging Time：6-8 hour by bright sunlight
Working Hours：8 Hours
Working Temperature：-25℃ to 65℃
Pcs/Color Box：6 Pcs/Color Box
Package: inner color box+neutral outer carton
Guarantee: 1 year
Product Size：130*130*56mm
Color box Size: 145*55*105mm
Carton Size：69.5*42.5*25cm
Pcs/Ctn：60pcs/ctn
N.W/Ctn：13.5kg
G.W/Ctn：15.8kg
Volume: 0.073 CBM
MOQ: 4000pcs

GD-DC01

Stainless Steel&Glass Solar Spiker Light

LED Nos:3 LEDs(1 3000K, 1 2000K, 1 RGB)
Battery：400mAh 1.2V NIMH
Solar Panel：60*60 mm
Lumens：10 LM
Waterproof：IP 66
Charging Time：6-8 hour by bright sunlight
Working Hours：8 Hours
Working Temperature：-25℃ to 65℃
Pcs/Color Box：2 Pcs/Color Box
Package: inner color box+neutral outer carton
Guarantee: 1 year
MOQ: 4000pcs

GD-HYZ01

Solar Flame Post light

LED Nos：1 Flame Bulb
Battery：450mAh 3.2V LIFEPO4
Solar Panel：61*30.5-6mmX4
Lumens: 45 LM
Waterproof：IP 66
Guarantee: 1 year
MOQ: 4000pcs



Widely Application

Post Cap Light

Courtyard

Fence Light

Picnic

Tabletop

Beach

- Unique and Best Seller on Amazon

Product Size：140*140*273mm
Color box Size: 28*15*25cm （2pcs/set)
Carton Size： 58*47*52cm (12set/ctn)
Pcs/Ctn：24pcs/ctn
N.W/Ctn： 0.94kg
G.W/Ctn： 15.8kg



Multi-function

60 PCS LED Chips

Fashional Flame Light

IP65 Waterproof

Supier Light Shell

RGB Light

GD-JG-Flame(RGB)

Latest Solar Flame 3 in One Light
(Wall Light/ Spiker/ Pillar Light)

LED Nos：2835*60 pcs*0.2w=12W
Battery： 3.7V 1800mAh
Solar Panel：5.5V 1W
Flame Lumens: 23.09lm
RGB Lumens: 4.05lm
Waterproof：IP 65
Sensor Method：CDR Sensors
Charging Time：6-8 hour by bright sunlight
Working Hours：8-10hours
Housing Material ： ABS +polycrystalline solar panels
Lumens:flame23.09lm/RGB4.05lm
Working Temperature： -25℃ to 65℃
Box Size：145*145*170mm
Carton Size：60x45x53cm
Pcs/Color Box：1 Pcs/Color Box
Pcs/Ctn：36 Pcs/Ctn
Package: inner color box+neutral outer carton
N.W/Ctn: 14KG
Guarantee：1 Year

GD-HB-Flame(RGB)

Flame Light（Patent Owner）

LED Nos：2835*60 pcs*0.2w
Battery：3.7V 1200mAh
Solar Panel：5.5V 1.3W
Lumens: 1.56lm
CCT: Flame/RGB
Waterproof：IP 65
Sensor Method：CDR Sensor
Charging Time：6-8 hour by bright sunlight
Working Hours：8-10hours
Housing Material ： ABS +polycrystalline solar panels
Working Temperature： -25℃ to 65℃
Product size: D120*H78.3cm
Color box size：325*125*135mm
Carton Size：68*26*66cm
Pcs/Color Box：1 Pcs/Color Box
Pcs/Ctn：20 Pcs/Ctn
Package: inner color box+neutral outer carton
N.W/Ctn：9.8KGS
G.W/Ctn: 10.8KGS
Guarantee：1 Year

RGB Light

Adjustable solar panel

Waterproof IP65

RGB Light

Adjustable solar panel

Waterproof IP65

GD-CP-WH(RGB)-4D

Gazon Spiker/Spot light/ Wall light (4 PCS)

LED Nos：F10*4 pcs*0.25w=1w
Battery：3.7V 1800mAh
Solar Panel：5.5V 1.5W
CCT: 6500K/3000K/RGB
Waterproof：IP 65
Sensor Method：CDR Sensor
Charging Time：6-8 hour by bright sunlight
Working Hours：8-10hours
Housing Material ： ABS +polycrystalline solar panels
Working Temperature： -25℃ to 65℃
Product Size：340*270*100mm
Carton Size：62x42x50.5cm
Pcs/Color Box：1 Pcs/Color Box
Pcs/Ctn：40 Pcs/Ctn
Package: inner color box+neutral outer carton
N.W/Ctn：14KGS
G.W/Ctn: 18KGS
Guarantee：1 Year

GD-CP-WH(RGB)-7D

Gazon Spiker/Spot light/ Wall light (7PCS)

LED Nos：F10*7 pcs*0.25w=1.75w
Battery：3.7V 1800mAh
Solar Panel：5.5V 1.5W
CCT: 6500K/3000K/RGB
Waterproof：IP 65
Sensor Method：CDR Sensor
Charging Time：6-8 hour by bright sunlight
Working Hours：8-10hours
Housing Material ： ABS +polycrystalline solar panels
Working Temperature： -25℃ to 65℃
Product Size：340*270*100mm
Carton Size：62x42x50.5cm
Pcs/Color Box：1 Pcs/Color Box
Pcs/Ctn：40 Pcs/Ctn
Package: inner color box+neutral outer carton
N.W/Ctn：14KGS
G.W/Ctn: 18KGS
Guarantee：1 Year

GD-5-24W

USB Emergency Bulb 24W

LEDs：5630*42pcs
Battery：3600mA
Solar Panel：3.7V 2W
Light source lumens：360lm
CCT: 6500K
Housing Color：White/Orange
USB Charging：3hs
Working hours：4.5hs
Bulb Size：170*100*100mm
Solar Panel Size：15.5*19.5cm
IP 44
Pcs/Color Box：1pc/Colar box
Pcs/Carton：50 pcs/Carton
Carton Size：53*53*36.5
Bulbs N.W/Carton：11.25kg
Bulbs G.W/Carton：15.45kg
Guarantee：1 Year

GD-5-36W

USB Emergency Bulb 36W

LEDs：5630*50pcs
Battery：4800mA
Solar Panel：3.7V 3W
Light source lumens：387lm
CCT: 6500K
Housing Color：White/Orange
USB Chargin time：3 hours
Working time：5 hours
Bulb Size：194*115mm
Solar Panel Size：14.5*24cm
IP 44
Pcs/Color Box：1pc/Colar box
Pcs/Carton：30 pcs/Carton
Carton Size：60*36.5*41
Bulbs N.W/Carton：9kg
Bulbs G.W/Carton：12kg
Guarantee：1 Year

GD-5-50W

USB Solar Remote Bulb 50W

LEDs: 5630*42pcs
Battery: 6000mA
Solar Panel: 3.7V 6W
Light source lumens: 360lm
CCT: 6500K
Housing Color: White/Orange
USB Charging: 3hs
Working hours: 8hs
Bulb Size: 105*100mm
Solar Panel Size: 15.5*19.5cm
IP 44
Product size:170*100*100mm
Pcs/Color Box: 1pc/Colar box
Pcs/Carton: 50 pcs/Carton
Carton Size: 53*53*36.5
Bulbs N.W/Carton: 11.25kg
Bulbs G.W/Carton: 15.45kg
Guarantee: 1 Year

GD-5-60W

USB Solar Remote Bulb 60W

LEDs：5630*50pcs
Battery：4800mA
Solar Panel：3.7V 3W
Light source lumens：387lm
CCT: 6500K
Housing Color：White/Orange
USB Chargin time：3 hours
Working time：5 hours
Bulb Size：194*115mm
Solar Panel Size：14.5*24cm
IP 44
Pcs/Color Box：1pc/Colar box
Pcs/Carton：30 pcs/Carton
Carton Size：60*36.5*41
Bulbs N.W/Carton：9kg
Bulbs G.W/Carton：12kg
Guarantee：1 Year

GD-JXC001

LED intelligent emergency bulb 15W

Battary: 2pcs*1200mAh
LEDs: 28pcs
Lumens: 1338.1lm
Charging time: 2 hours
Emergency time: 5 hours
Product Size: 163*75mm
CCT: 6500K
Voltage: AC86V-265V
Pcs/color box: 1pc
Pcs/Ctn: 100pcs/Ctn
Material:PP
IP:IP44
Lamp holder: E27/B22
Packing: inner color box + neutral outer box
Carton Size: 42*42*66cm
N.W/Ctn: 19 KGS
G.W/Ctn: 22.02kgs
Certificates:CE\ROHS\MSDS
Guarantee: 2 Years

GD-JXC003

DC 5V/USB LED intelligent emergency bulb 15W

Lumens：235.22lm
Battary：2pcs*1200mAh
Charging time: 2 hours
Emergency time: 5 hours
CCT: 6500K
Product Size: 163*75mm
Voltage: DC 5V/USB
Pcs/color box:: 1pc
Pcs/Ctn: 100pcs/Ctn
Material:PP
IP:44
Lamp holder: E27/B22
Packing: inner color box + neutral outer box
Carton Size: 42*42*66cm
N.W/Ctn: 19 KGS
G.W/Ctn: 22.02kgs
Certificates:CE\ROHS\MSDS
Guarantee: 2 Years

GD-5-9W

USB Emergency Bulb 9W

LEDs：5630*18pcs
Battery：1200mA
Solar Panel：3.7V 1W
Light source lumens：138lm
CCT: 6500K
Housing Color：White/Orange
USB Charging：2 hs
Working hours：4 hs
Bulb Size：140*75*75mm
Solar Panel Size：8*13.5cm
IP 44
Pcs/Color Box：1pc/Colar box
Pcs/Carton：100 pcs/Carton
Carton Size：39.5*39.5*59.5CM
Bulbs N.W/Carton：10.05kg
Bulbs G.W/Carton：14.13kg
Guarantee：1 Year

GD-5-15W

USB Emergency Bulb 15W

LEDs：5630*24pcs
Battery：2400mA
Solar Panel：3.7V 2W
Light source lumens：251lm
CCT: 6500K
Housing Color：White/Orange
USB Charging：2.5hs
Working hours：4hs
Bulb Size：165*90*90mm
Solar Panel Size：14.5*15.5cm
IP 44
Pcs/Color Box：1pc/Colar box
Pcs/Carton：50 pcs/Carton
Carton Size：49.5*49.5*35.5CM
Bulbs N.W/Carton：8.5kg
Bulbs G.W/Carton：12kg
Guarantee：1 Year

ROTATABLE DESIGN

All three caps can rotate 360 degrees

FRONT

SIDE

INSTALLATION STEPS



1. Before installation, press the switch button

2.Drill holes in the wall with an electric drill

3. Screw the base to the wall

4. Connect and fix the lamp body with the base through the base buckle

2000mAh Battery

214 PCS LED Chips

Adjustable 4 Heads

GD-CS-005

Clover Security Solar Light

- LED Nos：214PCS
- Battery：3.7V 2000MAH
- Solar Panel：5.5v 1.25w
- Lumens: 430LM
- Waterproof：IP 44
- Sensor Method： PIR Sensor
- Charging Time：6-8 hour by bright sunlight
- Working Hours：Sensor 150 times
- Housing Material ： ABS +PC
- Working Temperature： -25℃ to 65℃
- Pcs/Color Box：1 Pcs/Color Box
- Package: inner color box+neutral outer carton
- Guarantee: 1 year
- Product Size： 299*144.5*194mm
- Color box Size: 225*165*140mm
- Carton Size：69.5*68*44cm
- Pcs/Ctn： 36 PCS/CTN
- N.W/Ctn：22.3 kg
- G.W/Ctn： 24.5 kg
- Volume: 0.2 CBM

GD-LA1-50W

- **Remote control ABS Street Light (50W)**
  Solar Panel：6W/ 6V
  Lithium Battery：5AH/36250
  Lumen: 423lm
  LED Nos: 2835*154pcs*0.5W
  Product Size：360*187*55mm
  Solar Panel Size：275*170mm
- Product Material:ABS+Solar Panel

GD-LA1-100W

- **Remote control ABS Street Light (100W)**
  Solar Panel：8W/ 6V
  Lithium Battery：10AH/36250
  Lumen: 707.8LM
  LED Nos: 2835*308pcs*0.5W
  Product Size：190*478*55mm
  Solar Panel Size：380*174mm
- Product Material:ABS+Solar Panel

GD-LA1-150W

- **Remote control ABS Street Light (150W)**
  Solar Panel：12W/ 6V
  Lithium Battery：15AH/36250
  Lumen: 954LM
  LED Nos: 2835*462pcs*0.5W
  Product Size：600*197*55mm
  Solar Panel Size：484*180mm
- Product Material:ABS+Solar Panel

GD-BFX20W-B

Batman No.1 Solar Street Light(20W)

Solar Panel：6V, 4.5W
Battery：3.2V, 5AH
Sensor lumens: 277.26lm
LED Nos：2835*20 pcs*1w=20W
Product Size：425*185.5*48mm
Material ： Die-casting Alluminum

GD-BFX40W-B

Batman No.2 Solar Street Light(40W)

Solar Panel：6V, 9W
Battery：3.2V, 10AH
Sensor lumens: 430.61lm
LED Nos：2835*40 pcs*1w=40W
Product Size：585*185*48mm
Material ： Die-casting Alluminum

GD-BFX60W-B

Batman No.3 Solar Street Light(60W)

Solar Panel：6V, 14W
Battery：3.2V, 15AH
Sensor lumens: 676.14lm
LED Nos：2835*60 pcs*1w=60W
Product Size：204*45*724mm
Material ： Die-casting Alluminum



20W

40W

Solar energy Integrated street lamp

Charge for 5 hours | Light up for 20 hours

365 daylight No charging, no wiring
No electricity charge in the whole year

Multiple installation methods without wiring

Care starts with installation

Pole Light



Wall Light

Street Light

5730 lamp beads
Good color rendering, low light attenuation,
Uniform light, long service life

Smart sensor
Intelligent induction, humanization
Design, energy saving and power saving

ABS plastic shell
ABS engineering plastic outer shell is used,
Strong corrosion resistance,
High temperature resistance

Solar Split Street Light

Using the core MPPT technology, the charging efficiency is up to 45% higher than ordinary products

GD-09-70W/100W

Solar Split Street Light 70W

Solar Panel：6V,15W
Battery: 3.2v 12Ah
Waterproof: IP 65
LEDs: 60pcs*2835
Product Size：L500*W220*H60 mm
Material:Die-casting Alluminum

Solar Split Street Light 100W

Solar Panel：6V,20W
Battery: 3.2v 16 Ah
Waterproof: IP 65
LEDs: 60pcs*2835
Product Size：L500*W220*H60 mm
Material:Die-casting Alluminum

GD-10-100W/150W

Solar Split Street Light 100W

Solar Panel：6V 20W
Battery: 3.2v 16 Ah
Waterproof:IP65
LEDs: 48pcs*2835
Product Size：L500*W220*H60 mm
Material:Die-casting Alluminum

Solar Split Street Light 150W

Solar Panel：6V, 28W
Battery: 3.2v 24 Ah
Waterproof:IP65
LEDs: 90pcs*2835
Product Size：L500*W220*H60 mm
Material:Die-casting Alluminum

GD-/02-50W

MPPT Technology Solar Street Light 50W

Monocrystalline Solar Panel：6V, 19W
Battery：3.2V, 7000 Mah
LEDs：5730*48pcs*0.2w
Lumens: 420 lm
Housing Material ： ABS
Product Size：39*19.5*6 cm

GD-05-100W

MPPT Technology Solar Street Light 100W

Monocrystalline Solar Panel：6V, 11W
Battery：3.2V, 11000 Mah
LEDs：5730*96pcs*0.2w
Lumens: 840 lm
Housing Material ： ABS
Product Size：48.5x22x6 cm

GD-05-150W

MPPT Technology Solar Street Light 150W

Monocrystalline Solar Panel：6V, 19W
Battery：3.2V, 15000 Mah
LEDs：5730*144pcs*0.2w
Lumens: 1260 lm
Housing Material ： ABS
Product Size：62x24x6 cm

GD-05-200W

MPPT Technology Solar Street Light 200W

Monocrystalline Solar Panel：6V, 19W
Battery：3.2V, 15000 Mah
LEDs：5730*192pcs*0.2w
Lumens: 1280 lm
Housing Material ： ABS
Product Size：72.5x24x6 cm

High efficiency single crystal silicon board Charging faster

Our family

Monocrystalline silicon plate
The arrangement is more full
More watts



Other people's homes

Polycrystalline silicon plate
Leave blank
Wattage low

Lithium iron phosphate battery is better Charge discharge performance of

Our family

More capacity
Battery protection
Higher security

Other people's homes

Ordinary battery, general safety
Charging speed is slow
General performance

Remote control Operate freely

Multiple modes adjustable, easy to operate

GD-05-50W

ABS Solar Street Light 50W

Polycrystalline Solar Panel：6V, 7W
LEDs：5730*48pcs*0.2w
Battery：3.2V, 5Ah
Housing Material ： ABS
Product Size：39*19.5*6cm

GD-05-100W

ABS Solar Street Light 100W

Polycrystalline Solar Panel：6V, 10W
LEDs：5730*96pcs*0.2w
Battery：3.2V, 10Ah
Housing Material ： ABS
Product Size：48.5x22x6cm

GD-05-150W

ABS Solar Street Light 150W

Polycrystalline Solar Panel：6V, 15W
LEDs：5730*144pcs*0.2w
Battery：3.2V, 12Ah
Housing Material ： ABS
Product Size：62x24x6cm

STRONG LIGHT SOURCE,WIDE LIGHT COVERAGE

UFO Square Light (150W)

Solar Panel：6v 15w
Battery：15000 Mah 3.2V
Lumens: 1023.34 Lm
LEDs：120 Pcs
Product Size： 42*42*13cm
Material ： ABS+PC

UFO Square Light (300W)

Solar Panel：6V 22W
Battery：20000 Mah 3.2V
Lumens: 998.84 Lm
LEDs：400 Pcs
Product Size：55.5*55.5*12.5cm
Material ： ABS+PC



- 360 degree lighting
- Super photovoltaic panel
- All copper waterproof wire
- 240 LED Beads

Solar Split Street Light 100W

Solar Panel：6V,20W
Battery：3.2v,15Ah
IP grade: IP65
LEDs: 195pcs
Product Size：495*210mm
Material ： Die-casting Alluminum

Solar Split Street Light 150W

Solar Panel：6V,30W
Battery: 3.2v,20Ah
IP grade: IP65
LEDs: 295pcs
Product Size：495*210mm
Material ： Die-casting Alluminum



High Quality You Can See

Solar Split Street Light

- **Solar Split Flood Light 100W**
  Solar Panel：6V, 15W
  Battery：3.2v 5A*2pcs=10 Ah
  Solar panel size: 350*350*17mm
  LEDs: SMD*171 pcs
  Product Size：238*218*50mm
  Material:Die-casting Alluminum+ tempered glass

- **Solar Split Flood Light 200W**
  Solar Panel：6V, 20W
  Battery：3.2v 5A*3pcs=15 Ah
  Solar panel size: 350*400*17mm
  LEDs: SMD*357 pcs
  Product Size：275*305*60mm
  Material ： Die-casting Alluminum+ tempered glass

- **Solar Split Flood Light 300W**
  Solar Panel：6V 35W
  Battery: 3.2v 5A*5pcs=25 Ah
  Solar panel size: 350*630*17mm
  LEDs: SMD*494 pcs
  Product Size：372*330*72mm
  Material ： Die-casting Alluminum+ tempered glass



GD/BM-200W

Solar Split Street Light 200W

Solar Panel：6V, 20W
Battery: 3.2v 5A*3pcs=15 Ah
Solar panel size: 350*400*17mm
LEDs: SMD*357pcs
Product Size：492*220*68mm
Material:Die-casting Alluminum

GD/BM-300W

Solar Split Street Light 300W

Solar Panel：6V 35W
Battery: 3.2v 5A*5pcs=25 Ah
Solar panel size: 350*630*17mm
LEDs: COB*494 pcs
Product Size：560*275*68mm
Material:Die-casting Alluminum